


FORMERLY BIBLIOGRAPHY  
OF INDIAN FISHERIES



# INDIAN FISHERIES ABSTRACTS

Volume 22

No. 1

January-March 1983

CENTRAL INLAND FISHERIES RESEARCH INSTITUTE  
BARRACKPORE, WEST BENGAL





INDIAN FISHERIES ABSTRACTS

(Formerly Bibliography of Indian Fisheries)

Volume : 22, No. 1

January - March, 1983

---

Compiled & Abstracted	}	by:	B.N. Saigal	Bibliographic details & Indexing	}	by: Anjali De
			G.K. Vinci			
			V.V. Sugunan			
			V.K. Unnithan			
			M.J. Bhagat			

Typing : Swapna Talapatra.

Published by: Shri D.D. Halder, Officer-in-Charge, Library &  
Documentation Section on behalf of Director,  
CIFRI.

---

A service from  
The Information Section  
Central Inland Fisheries Research Institute  
Barrackpore, Pin : 743 101

---






INDIAN FISHERIES ABSTRACTS

(Indian Fish.Abstr.)

CONTENTS

I	Entries	1-24
II	Author Index	A-1 to A-5
III	Subject Index	S-1 to S-2
IV	Taxonomic Index	T-1 to T-2
V	Serial Index	P-1 to P-3







1. Achari, T.R. Thankappan (1975)  
 ( Project Chief, Project Cell, Transport Fisheries  
 and Ports Dept., Govt. of Kerala )  
 Mechanised fishing in Kerala - an appraisal  
Fisherman, 2(2) : 11-14  
 ... 14 ref.
  
2. Agrawal, Nirupama & Shakila Khan (1982)  
 ( Zoology Dept., Lucknow University, Lucknow-226 007  
 Studies on some tetracotyle Fillipi (1859) meta  
 cercariae from fishes of Lucknow.  
Proc Indian Acad Sci (Anim Sci.), 91 (6) : 515-521  
 ... 14 ref.
  
3. Anon (1982)  
 Brackishwater aquaculture in Tamil Nadu.  
Fishing chimes 2 (9) : 38-39
  
4. Ansari, Z.A., C.L. Rodrigues, A chatterji & A.H. Parulekar.(1982)  
 National Institute of Oceanography, Dona Paula,  
 Goa-403 004  
 Distribution of meiobenthos & macrobenthos at the  
 mouth of some rivers of the east coast of India  
Indian J. mar Sci., 11 (4) ; 341-343  
 ... 11 ref.
  
5. Badola, S.P., H.R. Singh & A.K. Dobriyal (1982)  
 1)-3), Dept. of Zoology, Government Post-Graduate  
 College, Rishikesh, U.P.  
 Note on sexual dimorphism in Barilius Bendelisis Ham.  
Indian J. Anim Sci., 52 (12) : 1284-1286  
 The fish exhibited marked sexual dimorphic characters  
 throughout the year.  
 ... 5 ref.



6. Bagat, O.P. & Sadhana Tiwari (1982)

Panjab University Chandigarh,  
Distribution of certain statistics expressible as  
product of independent chi-Squares- A review.  
J. Indian Soc Agric. Statistics 34(3) : 21-32

... 23 ref.

7. Bano, Yagana. (1982)

Dept. of Zoology, Aligarh Muslim University,  
Aligarh- 202 001  
Seasonal variations in the phosphorus contents of  
the muscle of catfish Clarias batrachus L.  
Proc. Indian Acad Sci. (Anim Sci.) 91(5) : 423-426

The maximum concentration of these constituents  
were recorded during April, May and June. The values decreased and the  
levels remained low during winter months. The observed changes have been  
correlated with feeding intensity, gonad maturation and spawning 18 ref.

... 18 ref.

8. Barman, R.P. (1983)

Zoological Survey of India, Calcutta-700 016.  
A new species of the genus Danio Hamilton from India  
(Pisces, Cyprinidae)  
Curr. Sci., 32(4) : 177-178

... 2 ref.

9. Battish, Sarwan Kumar. (1982)

Dept. of Zoology Punjab Agricultural University,  
Ludhiana.  
On two species of Herpetocypris Brady & Norman  
(Ostracoda) from Punjab with the description of  
a new species  
Crustaceana, 42(2) : 142-149

... 4 ref.

10. Bhanu, R.C. Rajalakshmi, K. Shyamasundari & K. Hanuinantha Rao. (1982)

Dept. of Zoology Andhra University, Waltair, 530 003  
Histological and histochemical studies on the albumen  
gland and capsular gland of Thais bufo (Lamarck)  
(Mollusca : Gastropoda)  
Proc. Indian Acad Sci. (Anim Sci.) 91 (5) : 407-415

... 11 ref.



Histochemical tests revealed the high proteinaceous nature of these glands. The secretion of the albumen gland is rich in carbohydrates besides protein whereas that of the capsular gland is a mucoprotein.

11. Billore, D.K. & L. N. Vyas (1981)

Dept. of Botany Univ of Udaipur, Udaipur, India  
Distribution and production of macrophytes in  
Pichhola lake, daipur, (India)  
Int. J. Ecol. Environ. Sci. 7 : 45-54

...

18 ref.

12. Bose, P.K. (1983)

Economic aspects of oceans and seas - both  
realised and potential.  
Sci. & Cult. 49(1) : 12-16

13. Chatterji, A., B.S. Ingole & A. H. Parulekar. (1982)

National Institute of Oceanography Dona Paula,  
Goa - 403 004.  
Effectiveness of formaldehyde in caligas  
infection of Laboratory reared Grey mullet Mugil  
caphalus (L) Indian J. mar. Sci 11(4) : 344-346

...

6 ref.

14. Chaudhair, B.T. & S.G. Prabhu Ajgaonkar (1982)

Marathwada University Aurangabad Maharashtra.  
Ikeda-Son's (Midzunos) sampling scheme and  
Patter-son's class of estimators.  
Sankhya (B) 44(3) : 288-294

...

6 ref.

15. Chetty, Sandhya Rani (1982) A.S. Gaur & S.M. Agarwal (1982)

Dept. of Bioscience Ravishankar University,  
Raipur - 492 010.  
On amino acids and proteins in the developing  
eggs of Cyprinus Carpio  
Geobios, 9(5-6) : 228-232

A steady decrease in total free amino acids, without  
any increase in total protein-content is observed just after ferti-  
lization and until morula stage in C. carpio. Intense protein  
degradation just prior to hatching is also observed.

...

9 ref.



16. Dange, Ajit D. & Vasant B. Masurekar. (1981)

Dept. of Zoology, Institute of Science, Madam  
Camp Road, Bombay - 400 #32

Toluene toxicity : Effects of sublethal levels on  
enzyme activities in seawater adapted tilapia  
(Sarotherodon mossambicus Peters)

J. Bio Sci. 3(2) : 129-134

... 22 ref.

17. Dasmahapatra, A.K. A.K. Medda (1982).

Dept. of Animal Physiology, Bose Institute,  
Calcutta 700 009.

Effect of some physico-chemical factors on the  
maturation of eggs of singhi fish, Heteropneustes  
fossilis (Bloch)

Sci. & cult. 48(10) : 359-361

Higher environmental temperature and rainfall  
determine to a great extent the onset of breeding  
processes, viz., maturation of eggs and subsequent  
spawning in a particular season. The results indicate that  
a range from 65 m O sm NaCl solution is the best medium.

... 17 ref.

18. Dey, Sudip & A. Raghu Varman (1983)

Dept. of Zoology, North Eastern Hill University,  
Shillong-793014

Acid mucopoly-saccharides in the lens-cuticle of  
the fresh-water prawn macrobrachium birmanicum

Curr. Sci., 52(5)p : 219

... 8 ref.

19. Dutta, T. & S. Dasgupta (1982)

The comparative activity of acid and alkaline  
phosphatase in some metabolically active tissues  
of Tilapia mossambica (Peters)

Geobios, 9(5-6) : 219-222

Concentration of both acid and alkaline phosphatase in the intestine is higher than that of the liver and brain of T. mossambica. Activity of alkaline phosphatase is all these three tissues in comparison to that of acid phosphatase.

... 8 ref.

20. Ganapathy, R. (1982)

MPEDA, Cochin-682 011.

Prawn hatchery management Part I. Brood stock  
development and maintenance

Seaf. export. J., 14(9) : 23-29



The methodology developed by the SEAFDEC for Prawn brood stock development, hatchery production of seed and larval nutrition is reported in series. The first one is on "Brood stock Development and Maintenance".

21. George, J.P. & H.G. Hingorani. (1982) ... 29 ref.  
 Central Fisheries Extension Training Centre (ICAR)  
 17-1-390 'Samad Bagh', Saidabad Colony, H  
 Hyderabad - 500 659  
 Herbicide toxicity to fish-food organisms  
Environmental Pollution, (A) 28 : 183-188  
 Complete mortality was observed within 31h among  
Brachionus calyciflorus exposed to 5.0ppm 2,4-D. Higher concen-  
 trations of 2,4-D were lethal to Daphnia lumholtzi, the entire  
 population dying in 20ppm concentration at 31h. No toxic effect  
 was observed in Mesocyclops leuckarti exposed to 50 ppm, upto  
 30 days. A lower concentration of Dalapon was lethal to  
Haliodyptomus viduus.
22. Goswami, S.C. (1982) ... 4 ref.  
 National institute of Oceanography Dona Paula,  
 Goa- 403 004  
 Distribution and diversity of copepods in the  
 Mandovi Estuarine System, Goa.  
Indian J. mar. Sci., 11(4) : 292-295
23. Goswami, Umesh. C. (1983) ... 17 ref.  
 Lecturer Zoology Dept. Gauhati University, In  
 Gauhati Assam - 781 014.  
H. fossilis, a 3-dehydroretinol (Vitamin A<sub>2</sub>)  
 rich freshwater fish when kept on vitamin A and  
 carotenoid - free diet, lost melasophores from  
 the skin. After supplementations of 3-dehydrore-  
 tinol the pigment would regenerate.
24. Govindan, T.K. (1983) ... 11 ref.  
 Central Institute of Fisheries Technology, Cochin  
 682 029.  
 Packagings for frozen prawn products :Part III  
 Polythene film and box- strappings.  
Soafd. export J., 15(1) : 5-8

25. Guraya, Sardul S. & Surinderpal Kaur. (1982)

Dept. of Zoology, College of Basic Sciences and Humanities Punjab Agricultural University, Ludhiana - 141 004, Punjab.

Cellular sites of steroid synthesis in the oviparous teleost fish Cyprinus carpio L. : A histochemical study. Proc. Indian Acad. Sci., Anim Sci., : 91(6) : 587-597

...

21 ref.

26. Hallor, William T. & T. Ramaprabhu (1981)

Centre for Aquatic Weeds, University of Florida, Gainesville, Florida 32611.

Investigations of various herbicides for aquatic weed control. Proc. 8th Asian-Pacific Weeds. Sci. Soc. Cont. Bangalore, Nov. 22 to 29, 1981. X Vol. 2 : 165-168.

...

5 ref.

27. Haranath V. Bhaskara M.V. Chalapathi Rao, V. Krishna Murthy M. Bhaskar & S. Govindappa (1983)

Fish Physiol Division, Dept. of Zoology, Sri Venkateswara University, Tirupati - 517502.

Mortality, O<sub>2</sub> consumption and weight changes in freshwater fish Sarotherodon mossambicus (Trewaves) during prolonged starvation.

Geobios, 10(2) : 77-79

...

6 ref.

28. Hutchins, J.B. (1981)

Western Australian Museum, Perth, Western Australia 6000,

Nomenclatural status of the toad fishes of India Copeia, No. 2 : 336-341.

...

31 ref.

29. Ibrahim, K.H., S.D. Gupta & P.R. Sen (1982)

Malformation of the vertebral column in single spawn progeny of Labeo rohita.

Bamedgeh, 34(2) : 56-62.



30. Jacob, Sheila Susan & N. Balakrishnan Nair, (1982),

Dept. of Aquatic Biology & Fisheries Kerala,  
Trivandrum - 695 007.

Food and feeding habits of the larvivorous fish  
Aplocheilichthys lineatus (C.U.V. & Vol.) in its  
natural habitat.

J. Fish Biol 20(3) : 329-339

A qualitative assessment of the diet reveals that  
it is not confined to a varied range of aquatic  
fauna, but also encompasses allochthonous fauna.

Quantitative and qualitative analyses of the diet indicate its  
feeding habit which does not alter with size or seasonal changes.

31. Jayapragasam, M. (1981).

Tamil Nadu Agricultural University, Coimbatore-  
641 003.

Studies on Azolla anabaena symbiotic system.

Food farming and Agriculture 14(3-4) : 33-36.

Azolla is a genus of small aquatic ferns which  
contains a heterocystous blue-green alga Anabaena azollae is a  
symbiont. Anabaena fixes atmospheric nitrogen and Azolla depends  
upon Anabaena for its entire nitrogen requirement. Biochemical  
Composition of Azolla with comparative study of different strains  
have been given. ... 15 ref.

32. Joseph, M. Mohan & M.N. Madhystha, (1982).

University of Agricultural Sciences, College of  
Fisheries Mangalore- 575 002.

Gametogenesis and somatic versus gonadal growth  
in the oyster Crassastrea madrasensis (Preston)

Indian J. mar. Sci. 11(4) : 303-310.

Gametogenic activity was noticed twice in a  
breedings season (October and February-March). Increase in ambient  
salinity from 0.3 to 17‰ induced gametogenesis in oysters which  
had stock piled reserve carbohydrates. Development of testis was  
faster than that of the ovary. Spawning was slow but nearly  
complete in females while rapid and incomplete in males.

33. Joshi, B.D. (1983).

Dept. of Zoology, Gurukul Kangari Vishwavidyalaya,  
Gurukul Kangari, Haridwar - 249 401.

Trypanosoma rupicoli (Sp. Nov) from a hill stream  
fish Nemacheilus rupicola (Hora)

Curr. Sci. 52(3) : 141-142.

... 8 ref.

34. Joshi, P.C. & S.S. Khanna (1982)  
 1) Dept. of Zoology Govt P.G. College,  
 Pithoragarh - 262 501.  
 2) Joint Secretary, Ministry of Education, Lucknow.  
 Seasonal changes in the ovary of a freshwater crab,  
Potamon koolooense (Rathbun)  
Proc. Indian Acad. Sci. (Anim Sci.) 91(5): 451-462.  
 Five maturational stages of ova have been described  
 on the basis of changes that occur in their nuclei and cytoplasm.  
 Spawning occurs during May or June.  
 ... 34 ref.
35. Joshi, P.C. & S. S. Khanna (1982).  
 1) Dept. of Zoology, Govt. P.G. College, Pithora-  
 garh - 262 501.  
 2) Joint Secretary Ministry of Education, Lucknow.  
 Structure and seasonal changes in the testis of  
 a freshwater crab Potamon koolooense (Rathbun).  
Proc. Indian Acad. Sci. (Anim. Sci.), 91(5) : 439-450  
 ... 27 ref.
36. Joshi, S.N.(1981).  
 Dept. of Zoology Govt. Post-Graduate College,  
 Pithoragarh, 262 502.  
 Origin and extrusion of nucleoli in the developing  
 oocytes of a freshwater carp, Labeo gonius (Ham).  
Proc. Nat. Acad. Sci. India (B) 51(4) : 367-368.  
 The extruded nucleoli were followed through the  
 various stages of oocytes. The possible significance of the phen -  
 menon is discussed.  
 ... 7 ref.
37. Joy, P.J., K.C. Varghese & C.C. Abraham (1981).  
 Kerala Agricultural University Trichur, Kerala.  
 Studies on biology and host-range of Paulina acu-  
minata De Geer (Orthoptera: Acrididae) and its  
 efficacy for the control of Salvinia molesta  
 Mitchell - an aquatic floating weed in Kerala.  
Proc. 8th Asian-Pacific Weed Sci Soc. Cont.,  
 Bangalore, Nov. 22 to 29, 1981, Vol. 4 : 201-206.  
 After studying the biology of the insect Paulina  
acuminata De Geer it is recommended for field release against  
 the aquatic weed Salvinia in India. Host range studies showed  
P. acuminata causes no economic injury to about forty crop plants  
 tested.

... 3 ref.



38. Kakati, V.S. (1982).

Central Marine Fisheries Research Institute  
Cochin- 682 018.  
Larval Development of the Indian grapsid crab  
*Matopograpsus latifrons* H. Milne Edwards in vitro  
*Indian J. mar Sci.* 11(4) ; 311-316.

39. Kalidas, Deshpande (1981).

... 16 ref.

Post-Graduate Dept, of Botany Science College  
Nanded - 431602, Maharashtra.  
Phytopathogens as weed control agents  
*Proc. 8th Asian-Pacific Weed Sci. Soc. Conf.*  
Bangalore, Nov 22 to 29, 1981, Vol. 1, :157-159.

40. Konar, S.K. & S.K. Sarkar.(1983).

... 4 ref.

Fisheries Laboratory, Dept, of Zoology University  
of Kalyani, Kalyani - 741 235.  
Acute Toxicity of agricultural fertilizers to  
fishes.  
*Geobios*, 10(1) : 6-9.

... 8 ref.

41. Kulkarni, B.G. & V.B. Masurekar.(1983).

Dept, of Zoology, The Institute of Science,  
Bombay - 400 032.  
Acute toxicities of some petroleum hydrocarbons  
to crab, *Scylla serrata* (Forsk.)  
*Geobios*, 10(2) : 63-67.

... 41 ref.

42. Kulkarni, K.M. & S.V. Kamath.(1983)

1) Dept of Zoology, Inst. of Science, Bombay-400 032.  
2) Zoology Dept. Khalsa College, Bombay - 19.  
Effect of eyestalk ablation on biochemical  
constituents of Hepatopancreas and blood sugar  
in *Paratelphusa jacquemontii*. (Rathbum)  
*Geobios*, 10(2) : 49-52.

Removal of eyestalks decreased the fat content  
and concentration of glycogen in the hepatopancreas of *P.*  
*jacquemontii*. Soon after the eyestalk ablation, the glycemic  
value slightly rose to hyperglycemic level and in 24 h, it  
declined to the level of hypoglycemia.

... 13 ref.

43. Mahajan, C.L. & S.D. Sharma, S.P. Sharma & N.K. Arora. (1981)  
Dept. of Zoology University of Rajasthan, Jaipur-302 004.  
Benthic fauna in a wet land ecosystem Ghana Bird Sanctuary, Bharatpur subjected to drought stress  
Int. J. Ecol Environ Sci., 7 : 145-148.  
... 8 ref.
44. Mahajan, C.L., S.P. Sharma, S.D. Sharma & N.K. Arora. (1981).  
Dept. of Zoology, University of Rajasthan, Jaipur - 302 004.  
Changes in zooplankton populations in a wetland ecosystem due to drought  
Int. J. Ecol. Environ Sci., 7 : 139-143.  
... 18 ref.
45. Mahajan, C.L. & T.R. Dheer. (1982)  
Aquatic & Fish Biology Laboratory, Dept of Zoology, University of Rajasthan, Jaipur.  
Regenerative capacity of the spleen in a splenectomized fish, Channa punctatus. (Bloch) with related investigations into changes in peripheral blood and haema-topoiesis.  
J. Fish Biol 20(6) : 657-666  
The present investigation has provided evidence by a simultaneous study of the regenerating spleen, peripheral blood and the kidney of the haematopoietic tissue to establish the role of the spleen in the development of circulating blood cells in C. punctatus Bloch.
46. Malhotra, Sandeep K. (1982)  
Parasitological Laboratory, Dept. of Zoology, University of Garhwal Pauri Campus, Pauri (Garhwal) 246 001. U.P.  
Bionomics of hill-stream cyprinids. III Food, parasites and length weight relationship of G Garhwal mahaseer, Tor tor (Ham)  
Proc. Indian Acad Sci. (Anim Sci.) 91(6) : 493-499  
... 17 ref.



47. Manoharan, T. & G.N. Sobhiah (1982).  
Toxic and sublethal effects of endosulfan  
on barbus stigma (Pisces : Cyprinidae)  
Proc. Indian Acad. Sci. (Anim Sci.) 91(6): 523-532.  
Endosulfan proved to be lethal to B. stigma at a  
concentration of 0.01 ppm and above. The LC 50 was 0.0043 ppm  
and the sublethal concentration was 0.003 ppm and below.  
... 25 ref.
48. Mathur, D.S. (1981)  
Zoological Survey of India, Jabalpur (M.P.)  
Toxicity of nuvacron to Rana cyanophlyctis (Schm).  
Food farming and Agriculture, 14(6) : 75-77.  
Nuvacron was more toxic to small frog than the  
larger ones within a species. ... 7 ref.
49. Mirajkar, M.S., R. Sarojine & R. Nagabhushanam.  
Dept. of Zoology, Marathwada University,  
Aurangabad - 431 004.  
Development of the excretory organs in the  
eyestalk of freshwater prawn, Macrobrachium  
kistnensis.  
Proc. Indian Acad. Sci. (Anim Sci.) 91(6) : 599-607  
... 15 ref.
50. Mir, A.M. & P. Kachroo. (1982).  
Dept. of Botany, University of Kashmir, Srinagar-  
190 006.  
Limnology of Kashmir lakes VII. The ecology of  
Bacillariophyceae in two lakes in Srinagar.  
Proc. Indian. natn. Sci., Acad. (B) 48(2): 378-390.  
... 30 ref.
51. Mohamed, M. Pear. (1982).  
Central Inland Fisheries Research Substation  
24 Pannalal Road, Allahabad- 211 002.  
Effects of handling on oxygen consumption and  
random activity in the freshwater mullet  
Rhinomugil corsula (Hamilton)  
Proc. Indian Acad. Sci. (Anim. Sci.) 91(5) : 469-472.  
Handling caused excitement which resulted in  
lower random activity associated with higher rate of oxygen  
consumption. ... 15 ref.

52. Mohamed, M. Peer.(1982)

Central Inland Fisheries Research substation,  
24 Pannalal Road, Allahabad. 211 002.

Metabolism of Puntius sarana (Hamilton)  
(Pisces : Cyprinidae) in relation to random activity.  
Proc : Indian natn : Sci . Acad.(B) : 48(3) :317-321  
O<sub>2</sub> consumption, CO<sub>2</sub> production and NH<sub>3</sub>-N  
excretion increased with increase in random  
(spontaneous) activity under adequate ambient  
oxygen(air saturation) at 30° and 35°C in  
Puntius sarana.

... 28 ref.

53. Moitra, S.K. & A.K. Roy.

Fisheries Laboratory Dept. of Zoology University  
of Burdwan, Burdwan- 713 104, West Bengal  
Digestive enzymes and their relationships with  
the food and feeding habits in Indian freshwater  
fishes Anabas testudineus (Bloch)  
J. Zool. Soc. India 33(1&2) 25-32.

The protease activity is pronounced in the  
hepatopancreas, intestine and pyloric stomach which indicates  
that the fish is more suited to digest protein food. Lipase  
activity was found to be more pronounced in the hepatopancreas  
and intestine. Amylase is more or less active in all the  
regions of the digestive systems.

... 28 ref.

54. Murthy, V. Krishna M. Bhaskar P. Sobha Rani & S. Govindappa.(1983)

<sup>Senior Research Officer</sup>  
Fish Pathology Division, Dept. of Zoology Sri  
Venkateswara University, Tirupati - 517 502  
Branchial glycolysis of freshwater fish  
Sarotherodon mossambicus (Trewaves) during  
acclimation to acidic water

Geobios, 10(1) : 20-23

Branchial metabolism of S. mossambicus was  
oriented towards stepped up glycolysis and organic  
acid production on acute exposure to sublethal acidic medium.  
But on acclimation the tissue suppressed organic acid production  
which was correlated towards survival value of the fish in an  
acidic medium.

... 12 ref.



55. Nagaratnamma, R. & R. Ramamurthi. (1983)

Dept. of Zoology, Sri Venkateswara University,  
Tirupati - 517 502

In Vivo recovery of acetylcholinesterase activity  
from methyl parathion induced inhibition in the  
freshwater teleost, Cyprinus carpio  
Curr. Sci., 52(2) : 74-75.

The recovery aspect of AChE activity in brain and gill  
tissues of common carp, Cyprinus carpio exposed to methyl  
parathion (MP) with special reference to time taken for recovery  
is studied. ... 9 ref.

56. Nair G. Achuthan & N. Balakrishnan Nair. (1983)

Dept. of Aquatic Biology and Fisheries, University of  
Kerala, Beach P.O. Trivandrum - 695 007.

Effect of infestation with the isopod, Alitropus  
typus M. Edwards (crust-acea. Flabellifera :  
Aegidae) on the haematological parameters of the  
host fish, Channa striatus (Bloch)

Aquaculture 30(1-4) : 11-19

57. Nair, J. Rajasekharan & N. Balakrishnan Nair. (1982)

Dept. of Aquatic Biology and Fisheries, University of  
Kerala, Beach P.O. Trivandrum - 695 007.

Effect of teleostean prey size and salinity on  
satiation amount, satiation time and daily ration  
in the glassy perchlet Chanda (= Ambassis)  
thomassi (Day) (Pisces : Centropomidae)

Proc. Indian Acad. Sci. (Anim. Sci.) 91(6); 507-513

The results suggest that satiation amount and satia-  
tion time vary considerably with the size of the fish prey.  
The satiation amount decreases when the prey is available in  
bulk than when given at regular intervals. The computed daily  
ration of the predator shows high values when compared with  
other tropical predators. ... 13 ref.

58. Natarajan, A.V. & V. Pathak. (1983)

1. Director, CIFRI, Barrackpore 24 Parganas, West Bengal  
Pattern of energy flow in freshwater tropical and  
sub-Tropical impoundments.

Bull. Cent Inland Fish Res. Inst., Barrackpore  
No. 36. 27p. ... 30 ref.

59. Nath, Surendra. (1981)  
Dept. of Zoology, Islamia College of Science and  
Commerce, Srinagar - 290 002. Kashmir.  
On the pharyngeal teeth of Noemacheilus  
stoliezkae (Steind) (Cyprini-formes : Cobitidae  
Noemacheilinae) The high altitute cobitid loach  
of Kashmir.  
J. Zool. Soc. India 33 (1-2) : 149-150  
... 7 ref.
60. Pal, Radhanath. (1982)  
CIFRI, Barrackpore  
Recent advances in studies on acute diseases of fishes  
-- a review.  
Bull. Cent. Inland Fish Res. Inst. Barrackpore  
No. 35, 52p. (Mimeo)  
... 56 ref.
61. Pandey, A.C. & Shamim Haider. (1982)  
Faculty of Science (Banaras Hindu University)  
Varanasi, Uttar Pradesh- 221 005.  
Histophysiological studies on the corpuscles of  
stannius of the teleost Ompok bimaculatus (BL.)  
Indian J. Anim Sci. 52(12) : 1220-1225  
The component cells of the CS exhibited hypertrophy  
and degranulation in fish maintained in 1.5% hyper-  
tonic salt solution. Similar changes were observed  
in response to porcine ACTH injection also. In addition to  
hypertrophy of the CS cells was noticed in hypophysectomized  
fish.  
... 26 ref.
62. Pandey, K.C. & D.N. Pandey. (1981)  
Zoology Dept., Lucknow University Lucknow.  
Pituitary gland of Wallago attu (Schn) with a  
remark on statistical assessment of the pituicytes  
at different stage of reproductive cycle.  
J. Zool. Soc. India, 33(1-2) : 71-87.  
... 43 ref.
63. Pandey, K.C. & S.K. Tiwari. (1981)  
Zoology Dept., Institute of Advance Studies,  
Meerut University, Meerut.  
Infection of an encylometrid metacercaria in  
Channa punctatus (Blooh)  
J. Zool. Soc. India, 33 (1&2): 150-153.  
... 4 ref.



64. Pandian, T.J. & K. Sampath. (1981)  
School of Biological Science, Madurai Kamaraj  
University, Madurai- 625 021.  
Energetics of air-breathing fishes in shallow waters.  
Int. J. Ecol. Environ. Sci., 7 : 105-108. 13 ref.  
...
65. Pant, M.C., A.P. Sharma & O.P. Chaturvedi. (1983)  
Dept. of Zoology Kumaun University, (1-2) Nainital-  
263 002.  
Phytoplankton population and diel variation in a  
subtropical lake.  
J. Environ. Biol., 4(1) : 15-25 14 ref.  
...
66. Pati, S. (1983)  
Reader, Dept. of Zoology Ravenshaw College,  
Cuttack Orissa - 753 003.  
Growth changes in relation to food habits of  
silver pomfret, Pampus argenteus (Euphrasen)  
Indian J. Anim. Sci., 53(1) : 53-56.  
In Pampus argenteus remarkable morphological  
changes occur during the juvenile stage after  
leaving the larval surface abode for a permanent benthopelagic  
life. The fish is a herbivour in the post-larval period and  
becomes predominantly a carnivour in the later life. 13 ref.
67. Patnaik, S. & K.M. Das. (1981)  
Central Inland Fisheries Research Station, Cuttuck.  
Efficacy of paraquat for control of submerged weeds.  
Proc. 8th Asian-Pacific Weed Sci. Soc. Cont.  
Bangalore November 22 to 29, 1981, Vol. 2 : 169-173  
In field trials the weeds Hydrilla, Vallisneria  
Najas, and Ceratophyllum could be cleared (93-98%)  
with 3 to 4 mg/l of paraquat in two weeks. The problems of  
mass decomposition following treatment and subsequent rise of  
nutrient level in water were considered. Economics of clearance  
and effect of chemical on biotic community of the pond are  
discussed. 5 ref.  
...
68. Pillai, C. Thankappan. (1983)  
Central Marine Fisheries Research Institute, Cochin  
Fish and shelfish disease in culture systems.  
Seafd. export J., 15(2) : 13-14.  
...

69. Pillai, C. Thankappan & Vvonne M. Froitas.  
  1. CMER Institute, P.B. 1912, Cochin 18, Kerala.
  2. Dept. of Microbiology, St. Xavier's College,  
Bombay - 1. ... 17 ref.

Fungal infection causing mass mortality of freshwater fish Tilapia mossambica.  
Seafd export J., 15 (1) : 15-17
70. Pillai, N. Bhaskaran (1981).  
Why trawling during monsoon months?  
Fisherman, 2(2) : 7-10
71. Pillai, V. Kunjukrishna, V. Chandrika, C.P. Gopinathan, A. Ragjunathan & P.V. Ramachandran Nair.(1981)  
Central Marine Fisheries Research Institute,  
Cochin- 682 018, Kerala,  
Investigations on the ecological effects of  
Salvinia weed deposits in the inshore waters off  
Cochin.  
Proc. 8th Asian-Pacific Weed Sci. Soc. Cont.  
Bangalore, Nov. 22 to 29, 1981 Vol. 2 : 175-183
72. Pramoda, S.& S.K. Saidapur. (1982) ... 4 ref.  
Dept. of Zoology Kittel College, Dharwad-580 001.  
Dept. of Zoology, Karnatak University, Dharwad-580003.  
Comparative effects of homoplastic pituitary  
homogenate, HCG & PMSG on follicular development  
in the frog Rana Tigerina during post-breeding  
regression phase.  
Indian J. Exp. Biology, 20(11) : 808-810.  
The results indicate that ovaries of R. tigerina  
are not refractory to gonadotrophic stimulation during the  
non breeding period.
73. Raizada, M.N. & C.P. Singh.(1982) ... 7 ref.  
Zoology Dept., Agra College, Agra- 282 002.  
Seasonal variations in the blood glucose and  
urea levels of freshwater fish, Cirrhinus mrigala(Ham.)  
Proc. Indian natn. Sci. Acad. (B), 48(4) :501-504.



Highest values in blood glucose (87.75 mg % in male and 98.97 mg % in female) were obtained during winter and lowest (73.60 mg% in male and 77.02 mg% in female) during summer. Blood urea showed highest values (27.12 mg% in male and 29.53 mg% in female) during monsoon and lowest values (25.22 mg% in male and 27.88 mg% in female) during summer. Females showed higher values than males in both glucose and urea level.

...

19 ref.

74. Ramalingam, K. & K. Ramalingam. (1982)

1. Research Associate, Entomology Research Institute, Loyola College, Madras- 600 034.
2. Dept. of Zoology University of Madras, Madras - 600 005.

Effects of sublethal levels of DDT, malathion and mercury on tissue proteins of Sarotherodon mossambicus (Peters).

Proc. Indian. Acad. Sci. (Anim. Sci.,)  
91(6) : 501-505.

Liver and muscle total proteins declined in Sarot-herodon mossambicus subjected to sublethal concentrations of DDT, malathion and mercury.

...

18 ref.

75. Ramaswamy, M.

Dept. of Zoology, Govt. Arts College,  
Coimbatore - 641 018.

Changes in glycogen levels in an air-breathing fish, Channa gachua. (Hamilton) following aerial exposure .

Curr. Sci., 52(1):35-37

...

10 ref.

76. Rao, D.M.R. & A.S. Murty. (1982)

Dept. of Zoology, Nagarjuna University  
Nagarjunanagar - 522 510, S. India.

Toxicity and metabolism of endosulfan in three freshwater catfishes.

Environmental Pollution, (A) 27(3) : 223-231.

The dosage- mortality regression lines showed the insufficiency of isolated 96-h LC 50 data for assessing the toxicity of the compound. The principal metabolite was endosulfan sulphate and the principal detoxification products were endosulfan alcohol endosulfan ether. Liver was found to be the principal site of storage and degradation of endosulfan.

...

32 ref.

77. Rao, K. Jiyantha, C.H. Mddhu & M.S.R. Murthy. (1983)  
Dept. of Zoology, S.V. University College,  
Tirupati - 517 502  
Histopathology of malathion on gills of a  
freshwater teleost Tilapia mossambica (Peters)  
J. Environ. Biol., 4(1) : 9-13.  
Malathion produces severe damage is gills of  
Tilapis mossambica, leading to hypoxia and finally failure of  
the respiratory mechanism resulting in the death of the fish. 11 ref.
78. Rao, K. Siva Prasada, K.R.S. Sambasiva Rao, D.V. Ramana Rao. (1983).  
Dept of Zoology, S. V. Uiversity, Post Graduate  
Extension Centre, Kavali - 524 202.  
Effect of parathion on tissue ionic changes in fish  
Channa punctatus (Bloch).  
Geobios, 10(2) : 60-62.  
Levels of sodium, potassium in muscle and gill,  
and calcium is liver of C. punctatus showed a significant fall  
during the subacute parathion exposure. The ionic loss suggests  
alteration in membrane permeability properties. The reported  
change in certain enzyme functions should be due to changes  
in membrane permeability properties and loss of ions.  
..... 10 ref.
79. Saha, G.N. (1982)  
Central Inland Fisheries Research, Sub station,  
47/1 Strand Road, Calcutta 700 070.  
Effect of lime on flocculation of soil colloids  
in newly dug out fish ponds  
Sci. & Cult., 48(10) : 359-361.  
Lime in the form of  $\text{Ca}(\text{OH})_2$  or  $\text{CaO}$  applied  
@ 500-1000 Kg/ha is effective in rectifying turbid  
waters of newly dugout ponds. Liming should be followed by  
manuring of newly dug out ponds to make them productive  
fish ponds.
80. Santhanakrishnan, G. (1983).  
Deputy Director, Research & Product Development,  
The Marine Products Export Development Authority,  
P.B. No. 1708, M.G. Road. Cochin 682 016.  
A diversified product and its export potential  
from India.  
Seafd. Export J., 15(2) : 19-24  
Described the export potential of Elasmobranchs  
from India.



81. Santhanakrishnan, G.(1983)  
Deputy Director (Research & Product Development)  
The Marine Products Export Development Authority,  
P.B. No. 1708, M.G. Road, Cochin 682 016.  
Raw head - on shrimps - a successful venture  
under diversification in developing and marketing  
as a value added product.  
Seaf. export J., 15(1) : 9-14.  
... 17 ref.
82. Santhanakumar, G., S.V. Job & S. Vinojal.  
1. G.V.N. College, Kovilpathi 627 702  
2. School of Biological Sciences, Madurai  
Namraj University, Madurai 625 021.  
3. S.D.K. Women's College, Kuzhithurai  
Otolith and back calculation of age in Myrtus  
Keletius (Valen)  
Curr. Sci., 52(1) :34-35  
... 9 ref.
83. Saxena, P.K., R. Bedi & G.L. Soni. (1982).  
Faculty of Basic Sciences, Punjab Agricultural  
University, Ludhiana 141 004, India.  
~~Effluents of vegetable oil factory~~ Effluents of  
the levels of phosphatases and dehydrogenases in  
the liver and kidney of the freshwater teleost  
Channa punctatus. (Bl.)  
Environmental Pollution, (A), 28(4) : 245-253.  
A significant decline in the activity of acid  
and alkaline phosphatases and succinic (SDH) and Lactate(LDH)  
dehydrogenases was recorded both in liver and kidney of C.  
punctatus at 7 days following exposure to a sublethal concentra-  
tion (25%) of vegetable oil factory effluent.
84. Seshavatharam, V. & P. Venu. (1981).  
Dept. of Botany, Andhra University, Waltair 530003(A.P)  
Some observations on the ecology of Kolleru Lake.  
Int. J. Ecol. Environ. Sci., 7 : 35-44.  
~~This is the first scientific investigation on the~~  
ecology of the lake. A general survey of the water  
chemistry parameters have been made. The phytoplankton  
production of the lake ranged from 1.60 to 4.94 g O<sub>2</sub> m<sup>-2</sup> day<sup>-1</sup>  
and that of the fish tanks from 3.64 to 23.20g O<sub>2</sub> m<sup>-2</sup> day<sup>-1</sup>  
... 31 ref.

85. Setty, M.G. Anantha Padmanabha. (1982).  
National Institute of Oceanography, Dona Paula,  
Goa - 403 004.  
Recent marine microfauna from the continental  
margin, West Coast of India.  
J. Scient. Ind. Res., 41(11) : 674-688  
... 47 ref.
86. Sharma, K.P. & S.D. Kulshreshtha. (1981)  
Post graduate. Department of Zoology, Govt. of  
College Kota.  
Fish and fishery of district Kota, Rajasthan.  
J. Zool. Soc. India, 33(1-2) : 63-69.  
A total of 79 species representing 8 orders  
had been recorded. Observations on their habitats, seasonal  
availability, breeding habits and maximum length observed  
were made. The list included 17 fishes hitherto not reported  
from Rajasthan. This brings the total number of fish species  
in the state to 94 excluding one hybrid reported here.  
... 14 ref.
87. Sharma, S.N. & H.P. Singh. (1982)  
Department of Agronomy, Institute of Agricultural  
Sciences, Banaras, Hindu University, Varanasi-  
221005.  
Variability in chlorophyll content of aquatic  
weed flora of eastern U.P.  
Sci. & Cult., 48 (9) : 327-328  
Among 6 species of aquatic weeds, Zizania aquatica  
contained the highest values of chlorophyll 'a', 'b' and total.  
Eichhornia crassipes has the lowest quantity.  
... 8 ref.
88. Singh, A.K. & D.P. Jha. (1981)  
Rajendra Agricultural University, Bihar.  
Adoption of package and practices demonstrated  
under National Demonstration programme by the  
farmers.  
Food. Farming and Agriculture, 13 (11-12) : 198-201



89. Singh, B.R., A.N. Yadav, J. Ojha & J.S. D. Munshi. (1981)  
Dept. of Zoology, Bihar University, Muzffarpur, Bihar.  
Gross structure and dimensions of the gills of an intestinal air-breathing fish. (Lepidocypalalichthys guntea Copeia, No. 1 : 224-229  
... 10 ref.
90. Singh, H.R., B.P. Nauriyal & A.K. Dobriyal. (1982)  
Dept. of Zoology, Garhwal University, Srinagar, Garhwal 246174.  
Fecundity of a hill stream minor carp Buntius chilinoides (McClelland) from Garhwal Himalaya. Proc. Indian Acad. Sci. (Animal Sci.) 91 : 487-491  
The relationships between fecundity and total length and weight of fish, fecundity and length, weight and volume of ovary, fish length and ovary weight were found to be of linear form.  
... 22ref.
91. Sinhababu, D.P. & N. Mazumdar. (1982)  
Central Rice Research Institute, Cuttack-753006.  
Preliminary report on the total lipid content in the gut of common carp, Cyprinus carpio var. Communis L. reared in rice field. Sci. & Cult. 48(11) : 396-397  
... 13 ref.
92. Sisodia, B.V.S. & A.K. Srivastava. (1982).  
1. I.V.R.I. Bzatarghr, U.P. Ra  
2. I.V.S.R.I. New Delhi.  
Modifying regression estimators with a preliminary test in double sampling  
Sankhya (B), 44(3) : 295-303.  
An alternative to the usual regression estimator for a population mean in double sampling is assumed from a bivariate normal population. Gain in efficiency is investigated theoretically and empirically.

93. Sivakami, S. (1982).  
CIFRI, 42/1. IV Main Road, Malleswaram,  
Bangalore.  
On the biology of Ompok bimaculatus. (Bloch)  
from Bhavanisagar reservoir, (Tamil Nadu)  
Geobios new Reports 1 : 111-119.  
... 16 ref.
94. Srivastava, C.B.L. & M. Singh. (1981).  
Zoology Dept., University of Allahabad,  
Allahabad.  
Structure of the carotid ~~labyrinth~~ of an  
air-breathing catfish, Clarias batrachus. (Linn)  
Proc. Nat. Acad. Sci., India, (B) 51(4): 329-333.  
This structure resembles the amphibian carotid  
labyrinth so much so that it can be regarded as its piscine  
precursor. On the basis of its topographical relationship with  
the aortic arches and the head arteries it is suggested that the  
fish carotid labyrinth is a modified pseudo branch.  
... 15 ref.
95. Srivastava, D.K. & R.N. Seth. (1981).  
1. Dept. of Zoology, K.A.D. College,  
Allahabad 211 001.  
2. CIFRI, Substation, Pannalal Road,  
Allahabad 211 002.  
Allometric studies on Osteostruma cotio Ham.  
(Pisces : Cyprinidae)  
J. Zool. Soc. India, 33(1&2) : 45-52.  
The growth rates of 15 body parts of Osteostruma  
cotio Ham. are described. No isometric growth was observed between  
any two parameters. In relation to the standard lengths,  
shows positive allometry and the rest of the body parts show  
negative allometry and the rest of the



96. Srivastava, S.R. & (1982).

1. Dept. Mathematics, University of Sulaimaniyah, Iraq & Banarasi

2. Harish Chandra, Post Graduate College, Varanasi.

A note on the estimation of mean of a symmetrical population.

J. Indian Soc. Agric. Statistics, 34(3) : 79-

A refinement of Sahai and Ray estimator has been suggested for estimating the mean  $\bar{Y}$  of a population with variance  $\sigma^2$ . It has the same mean square error but smaller bias than the one suggested by Sahai and Ray.

... 3 ref.

97. Sumitra Vijayaragavan, J.P. Royan & T.S.S. Rao. (1982).

National Institute of Oceanography, Dona Paula, Goa - 403 004.

Effects of different feeding levels on moulting growth, food conversion efficiency & biochemical composition of the prawn Metapenaeus monoceros (Fabricus). Indian J. mar. Sci., 11(4) :

347-349 ... 20 ref.

98. Sumitra Vijayaraghavan, J.P. Royan & T.S.S. Rao. (1982)

National Institute of Oceanography, Dona Paula, Goa - 403 004.

Growth & food conversion efficiency in the fish Etroplus suratensis in relation to different feeding levels.

Indian J. mar. Sci., 11(4) : 350-352

... 21 ref.

99. Tripathy, N.K. & C.C. Das. (1980)

Dept. of Zoology, Berhampur University.

Berhampur - 760 007, Orissa.

Chromosomes in three species of Asian Catfish.

Copeia No. 4 : 916 - 918

In M. vittatus, M. seenghala and Plotosus

canius, the chromosome size changed gradually

so that no chromosome pair could be regarded as the "markers".

In none of the species was any difference noted between the

karyotypes of males and females.

...

15 ref.

100. Verma, S.P., I.P. Tonk & Virendra Kumar .

Pollution Relevant Research Laboratory Post-

Graduate Dept. of Zoology, D.A.V. College,

Muzaffarnagar, 251 001.

Effects of thiotex malathion and their two combinations on tissues of Notopterus notopterus.

J. Environ. Biol. (41) : 27-33.

The values of gonado-somatic index and hepato-somatic index increased in toxicant stressed fish. The water content decreased in ovary, liver and kidney but increased in blood. The lipid content decreased in ovary, kidney and blood but increased in liver.

...

15 ref.



## II AUTHOR INDEX

Every author's name appearing in the original article is listed alphabetically, including corporate bodies (societies, organisations etc.) whether occurring as single or multiple words. (Reference is given to the serial no. of the entry).

Abraham, C.C.	...	37
Achari, T.R. Thankappan	...	1
Agarwal, S.M.	...	15
Agrawal, Nirupama	...	2
Ajgaonkar, S.G. Prabhu	...	14
Anon	...	3
Ansari, Z.A.	...	4
Arora, N.K.	...	43 & 44
Badola, S.P.	...	5
Bagat, O.P.	... G	6
Bano, Yagana.	...	7
Barman, R.P.	...	68
Battish, Sarwan Kumar	...	9
Bedi, R.	...	83
Bhanu, R.C. Rajalakshmi	...	10
Bhaskar, M.	...	27 & 54
Billare, D.K.	...	11
Bose, P.K.	...	12
Chandika, V.	...	71
Chatterjee, A.	...	4
Chatterji, A.	...	13
Chattervedi, O.P.	...	65
Chaudhari, B.T.	...	14
Chetty, Sandhya Rani	...	15
Dange, Ajit D.	...	16
Das, C.C.	...	99
Das, K.M.	...	67
Dasgupta, S.	...	19
Dasmahapatra, A.K.	...	17
Datta, Munshi	...	89
Dutta, T.	...	19
Dheer, T.R.	...	45
Dobriyal, A.K.	...	5 & 90
Freitas, Yvonne M.	...	69

Ganapathy, R.	...	20
Gaur, A.S.	...	15
George, J.P.	...	21
Gopinathan, C.P.	...	71
Goswami, S.C.	...	22
Goswami, Umesh, C.	...	23
Govindan, T.K.	...	24
Govindappa, S.	...	27 & 54
Gupta, S.D.	...	29
Guraya Sardul S.	...	25
Haider, Shamim	...	61
Haller, William T.	...	26
Haranath, V. Bhaskara	...	27
Hingorani, H.C.	...	21
Hutchins, J.B.	...	28
Ibrahim, K.H.	...	29
Ingole, B.S.	...	13
Jacob, Sheila Susan	...	30
Jayapragasam, M.	...	31
Jha, D.P.	...	88
Job, S.V.	...	82
Joseph, M. Mohan	...	32
Joshi, B.D.	...	33
Joshi, P.C.	...	34, 35, & 36
Joshi, S.N.	...	36
Joy, P.J.	...	37
Kachroo, P.	...	50
Kakati, V.S.	...	38
Kalidas, Deshpande,	...	39
Kamath, S.V.	...	42
Kaur, Surinderpal	...	25
Khanna, S.S.	...	34 & 35
Khan, Shakila	...	2
Konar, S.K.	...	40
Kulkarni, B.G.	...	41
Kulkarni, K.M.	...	42
Kulshreshta, S.D.	...	86
Kumar, Virendra	...	100
Madhu, CH.	...	77
Madhystha, M.N.	...	32
Mahajan, C.L.	...	43, 44 & 45
Malhotra, Sandeep, K.	...	46
Manoharan, T.	...	47
Masurekar, V.B.	...	16 & 41



Mathur, D.S.	...	48
Mazumdar, N.	...	91
Medda, A.K.	...	17
Mirajkar, M.S.	...	49
Mir, A.M.	...	50
Mohamed, M. Peer.	...	51 & 52
Moitra, S.K.	...	53
Murthy, V. Krishna	...	27 & 54
Murthy, V.S.R.	...	77
Murty, A.S.	...	76
Nagabhushanam, R.	...	49
Nagaratnamma, R.	...	55
Nair, G. Achuthan	...	56
Nair, J. Rajasekharan	...	57
Nair, N. Balakrishnan	...	30, 56 & 57
Nair, P.V. Ramachandran	...	71
Natarajan, A.V.	...	58
Nath, Surendra	...	59
Nauriyal, B.P.	...	90
Ojha, J.	...	89
Pal, Radhanath,	...	60
Pandey, A.C.	...	61
Pandey, D.N.	...	62
Pandey, K.C.	...	62 & 63
Pandian, T.J.	...	64
Pant, M.C.	...	65
Parulekar, A.H.	...	4 & 13
Pathak, V.	...	58
Pati, S.	...	66
Patnaik, S.	...	67
Pillai, C. Thankappan	...	68 & 69
Pillai, N. Bhaskaran	...	70
Pillai, V. Kunjukrishna	...	71
Pramoda, S.	...	72
Raghunathan, A.	...	71
Raizada, M.N.	...	73
Ramalengari, K.	...	74
Ramamurthi, R.	...	55
Ramaprabhu, T.	...	26
Ramaswamy, M.	...	75
Rao, D.M.R.	...	76
Rao, K. Hanumantha	...	10
Rao, K. Jiyantha	...	77
Rao, K.R.S. Sambasiva	...	78

Rao, K. Siva Prasada.	...	78
Rao, K.V.Ramana	...	78
Rao, M.V. Chalapathi	...	27
Rao, T. S.S.	...	97 & 98
Ray, A.K.	...	53
Rodrigues, C.L.	...	4
Royan, J.P.	...	97 & 98
Saha, G.N.	...	79
Saidapur, S.K.	...	72
Sampath, K.	...	64
Santhana Krishnan, G.	...	80 & 81
Santhanakumar, G.	...	82
Sarkar, S.K.	...	40
Sarojini, R.	...	49
Saxena, P.K.	...	83
Sen, P.R.	...	29
Seshavatharam, V.	...	84
Seth, R.N.	...	95
Setty, M.G. Anantha Padmanabha	...	85
Sharma, A.P.	...	65
Sharma, K.P.	...	86
Sharma, S.D.	...	43 & 44
Sharma, S.N.	...	87
Sharma, S.P.	...43 &	43 & 44
Shyamasundari, K.	...	10
Singh, A.K.	...	88
Singh, B.R.	...	89
Singh, C.P.	...	73
Singh, H.P.	...	87
Singh, H.R.	...	5 & 90
Singh, M.	...	94
Sinhababu, D.P.	...	91
Sisodia, B.V.S.	...	92
Sivakami, S.	...	93
Sobha Rani, P.	...	54
Soni, G.L.	...	83
Srivastava, A.K.	...	92
Srivastava, C.B.L.	...	94
Srivastava, D.K.	...	95
Srivastava, S.R.	...	96
Subbiah, G.N.	...	47
Sudip, Dey,	...	18
Sumitra Vijayaraghavan	...	97 & 98
Tiwari, Sadhana	...	6



Tiwari, S.K.	...	63
Tonk, I.P.	...	100
Tripathy, N.K.	...	99
Varghese, K.C.	...	37
Varman, A. Raghu	...	18
Venu, P.	...	84
Verma, S.R.	...	100
Vinojal, S.	...	82
Vyas, L.N.	...	11
Yadav, A.N.	...	89





# SUBJECT INDEX

(Subject headings with their sub-headings are listed alphabetically. Reference is given to the serial number of the entry).

AQUATIC PLANTS	...	11
BEHAVIOUR	...	66
BENTHOS	...	4, 43
BIOCHEMISTRY	...	7, 12, 10, 27, 25, 42, 77, 78, 91
DISTRIBUTION & ECOLOGY		
FISH CULTURE		8, 9, 86
a. Brackishwater culture	...	3, 20
b. Hybridization	...	29
FISH EGGS, LARVAE & JUVENILES		
Embryology and Development	...	15 & 38
FISHERIES BIOLOGY AND POPULATION DYNAMICS	...	30, 32, 34, 46, 82, 90, 93
FISHERIES MANAGEMENT a. general	...	86
b. Extension education..		88
FISHERIES STATISTICS	...	80
FISHERY ECONOMICS	...	12
FISH FOOD ORGANISMS	...	21
FISHING CRAFTS AND FISHING AIDS	...	1
FISH PATHOLOGY	...	2, 5, 13, 29, 33, 46, 56, 60, 63, 68, 69.
FISH POISONING & TOXICITY	...	18, 21, 40, 41, 47, 48, 55, 74, 76, 78.
FISH TECHNOLOGY	...	24, 81.

HYDROGRAPHY, METEOROLOGY & GENERAL ECOLOGY...	...	11,50,84
Inland waters	...	
MATHEMATICAL & STATISTICAL METHODS	...	6,14,92,96
MISCELLANEOUS	...	10
MORPHOLOGY, ANATOMY & HISTOLOGY	...	10,25,35,36,49,59, 62,89,94,95.
NUTRITION:	...	57,97,98.
PHYSIOLOGY	...	15,17,19,23,27,45 51,52,53,54,61,64, 72,73,75,76,97,98,99.
PLANKTON : Zooplankton	...	22,44,85
Phytoplankton	...	31,65
Productivity	...	58,87
POND FERTILIZATION & SOIL CHEMISTRY	...	79
SYSTEMATICS	...	8,9,28,86
WATER POLLUTION	...	83
WEEDS AND WEED CONTROL	...	26,37,39,67,71.



# TAXONOMIC INDEX

Based on the taxonomic terms of the fishes, frogs, prawns and crabs occurring in the title and also in the body of the paper. The names of other groups appear as per their taxonomic status in the Animal kingdom. Names of the authorities have been omitted from taxonomic terms.

<u>Anabas testudineus</u>	...	53
<u>Aplocheilichthys lineatus</u>	...	30
<u>Austrobatrachus dissumieri</u>	...	28
<u>Barbus pentazona</u>	...	68
<u>Barbus stigma</u>	...	47
<u>Barilius bendelisis</u>	...	5
<u>Batrachichthys grunniens</u>	...	28
<u>Carcharias spp.</u>	...	80
<u>Catla catla</u>	...	40
<u>Channa gachua</u>	...	75
<u>Channa punctatus</u>	...	3, 45, 63, 78, 83
<u>Channa striatus</u>	...	56 & 64
<u>Chanda thomassi</u>	...	57
<u>Chiloscyllium spp.</u>	...	80
<u>Cichlasoma meeki</u>	...	68
<u>Cirrhinus mrigala</u>	...	40 & 73
<u>Clarias batrachus</u>	...	7 & 94
<u>Cyprinus carpio</u>	...	15, 25, 40, 55, 91
<u>Danio (Brachydanio) horai</u>	...	8
<u>Etroplus suratensis</u>	...	98
<u>Heteropneustes fossilis</u>	...	17, 23, 76
<u>Labeo gonius</u>	...	36
<u>Labeo rohita</u>	...	40
<u>Lepidocephalichthys guntea</u>	...	89
<u>Macrobrachium birmanicum</u>	...	18
<u>Macrobrachium kistnensis</u>	...	49
<u>Macrobrachium kistnensis</u>	...	97
<u>Metapenaeus monoceros</u>	...	13
<u>Mugil cephalus</u>	...	68
<u>Mugil cunnesius</u>	...	76
<u>Mystus cavasius</u>	...	82
<u>Mystus keletius</u>	...	99
<u>Mystus seenghala</u>	...	76 & 99
<u>Mystus vittatus</u>	...	33
<u>Nemacheilus rupicola</u>	...	

Noemacheilus stoliczkae	...	59
Notopterus notopterus	...	100
Ompok bimaculatus	...	61
Osteobrama cotio	...	95
Pampus argenteus	...	66
Plotosus canius	...	99
Puntius chilinoideus	...	90
Puntius sarana	...	52
Rana cyanophlyctis	...	48
Rana tigerina	...	72
Rhinonugil corsula	...	51
Sarotherodon mossambicus	...	16, 27, 40, 54, 74
Scoliodon spp.	...	80
Scyliorhinus spp.	...	80
Sphyrna spp.	...	80
Tilapia mossambica	...	19, 69 & 77
Tor tor	...	46
Wallago attu	...	62
Xiphophorus maculatus	...	68



# SERIAL INDEX

Serials are abbreviated according to FAO's World list of periodicals for Aquatic Sciences and Fisheries and Insdoc 'S' Directory of Indian Scientific Periodicals, 1968. Reference is given to the serial number of the entry.

<u>Aquaculture</u> , 1983, <u>30</u> (1-4)	...	56
<u>Bamidgeh</u> , 1982, 34-(2)	...	29
<u>Bull. Cent. Inland Fish Res. Inst.</u> ,		
<u>Barrackpore</u> , 1983 No. 36	...	58
1982 No. 35	...	60
<u>Copeia</u> , 1980, No. 4	...	99
1981, No. 1	...	89
1981, No. 2	...	28
<u>Crustaceana</u> , 1982, <u>42</u> (2)	...	9
<u>Curr. Sci.</u> , 1983, <u>52</u> (3)	...	33
1983, <u>52</u> (4)	...	8
1983, <u>52</u> (5)	...	18
1983, <u>52</u> (2)	...	55
1983, <u>52</u> (1)	...	75 & 82
<u>Environmental pollution (A)</u> 1982, <u>27</u> (3)	...	21
<u>28</u> (2)	...	76
<u>28</u> (4)	...	83
<u>Fisherman</u> , 1981, <u>2</u> (2)	...	1 & 70
<u>Fishing chimes</u> , 1982, <u>2</u> (9)	...	3
<u>Food Farming and Agriculture</u> , 1981, <u>13</u> (11-12)	...	88
1981, <u>14</u> ( 3-4 )	...	31
<u>14</u> (6)	...	48

<u>Geobios</u>	1982, 9(5-6)	...	15 & 19
	1983, 10 (1)	...	40 & 54
	1983, 10 (2)	...	27, 41, 42 & 78
<u>Geobios, New Reports,</u>	1982, No. 1,	...	93
<u>Indian J. Anim. Sci.,</u>	1982, 52(12)	...	5 & 61
	1983, 53 (1)	...	23 & 66
<u>Indian J. exp. Biology,</u>	1982, 20(11)	...	72
<u>Indian J. mar. Sci.,</u>	1982, 11(4)	...	4, 13, 22, 32, 38, 97 & 98
<u>Indian J. Ecol. Environ.,</u>	1982, 20(1981), 7	...	12, 43, 44, 64, 84
<u>Indo J. ...</u>		...	
<u>J. Biosci,</u>	1981, 3(2)	...	16
<u>J. Environ. Biol.</u>	1983, 4(1)	...	65, 77 & 100
<u>J. Fish Biol.</u>	1982, 20(3)	...	30
	1982, 20(6)	...	45
<u>J. Indian Soc. Agric. Statistics</u>		...	
	1982, 34(3)	...	6 & 96
<u>J. Scient. ind. Res.</u>	1982, 41 (11)	...	85
<u>J. Zool. Soc. India,</u>	33 (1&2)	...	53, 59, 62, 63, 86, 95
<u>Proc. 8th Asian-Pacific Weed Sci.</u>			
<u>Soc. Conf Bangalore Nov. 22 to 29</u>			
<u>1981, Vol. 2</u>		...	26, 37, 39, 67, 71
<u>Proc. Indian Acad. Sci (Anim Sci.)</u>		...	
	1982, 95(5)	...	7, 10, 34, 35, 51, 90.
	1982, 91(6)	...	25, 46, 47, 49, 57, 74.



Proc. Indian Natn. Sci. Acad. (B).

1982, 48(2)	:	...	50
1982, 48(3)	:	...	52
1982, 48(4)	:	...	73

Proc. Nat. Acad. Sci. India (B).

1981, 51(4)	:	...	36, 94
-------------	---	-----	--------

Sankhya, (B) 1982, 44(3)

:	...	14, 92
---	-----	--------

Sci. & Cult. 1983, 49(1)

:	...	12
---	-----	----

1982, 48(9)

.	...	87
---	-----	----

1982, 48(10)

:	...	17, 79
---	-----	--------

1982, 48(11)

:	...	91
---	-----	----

Seafd export J. 1982, 14(9)

:	...	20
---	-----	----

1983, 15(1)

:	...	24, 69, 81
---	-----	------------

1983, 15(2)

:	...	68 & 80
---	-----	---------







